



| INDEX | PAGE(S) |
|----------------------------|---------|
| Mini-Racking | 114-115 |
| Preconfigured Models . . . | 116-118 |
| Accessories | 119-121 |
| Components | 122-125 |

SPIDER® MINI-RACKING SYSTEM

With a wide range of dimensions and options available, industrial-quality Rousseau Mini-Racking units offer an efficient way to store bulky items in a scalable system that easily adapts to specific needs.

The Spider® Mini-Racking system is heavy duty, easy to assemble, and is the most versatile and complete solution of its type on the market.

Designed for intensive use, the system helps you to use the space you have available to its full potential, in areas such as warehouses, repair shops and distribution centers.



LIFETIME WARRANTY
The Rousseau drawer rolling mechanism is covered by a lifetime warranty.



R5XEC-2004


THE ROUSSEAU DIFFERENCE



Steel beams designed for several decking types: steel, wire mesh and wood.



The distinctive "claw" at the end of each beam hooks onto the front of the posts for extra structural rigidity and incredibly fast assembly.



The common post is compatible with Mini-Racking and industrial shelving.



Using a combination of modular drawers with a shelving unit joined to the Mini-Racking structure, bulky items and small parts can be stored together, see [pages 91-92](#).

NOTE: The unique design of the Spider® post is a trademark of Rousseau Metal Inc.

GENERAL DIMENSIONS



SRE5127S

NOTE: Popular dimensions are shown in red.

PRECONFIGURED MODELS



WHEN ORDERING, MODEL NUMBERS MUST BE COMPLETED AS FOLLOWS

| | Starter Unit | Add-on Unit |
|-----------------|--------------|-------------|
| BOLTED uprights | D | A |
| WELDED uprights | E | B |

| | Decking |
|---|-------------------|
| S | Steel decking |
| W | Wire mesh decking |
| . | Without decking |

SR_5001_

e.g., SRD5001S
For a starter unit with bolted uprights and steel decking.

MINI-RACKING WITH CHOICE OF DECKING

The beams are designed to support steel shelves (SR40, SH20), wire mesh decking (SR42) or wood panels at least 5/8" thick.

STEEL

- To order a unit with steel decking, add S to the product number

WIRE

- To order a unit with wire mesh decking, add W to the product number
- Not compatible with 18"D units

FOR WOOD PANELS

- To order a unit without decking (e.g., for use with wood decking), leave the product number as is



SRE5127S
Starter unit



SRB5127S
Add-on unit




SRE5127W
Starter unit



SRB5127W
Add-on unit



SRE5127
Starter unit



SRB5127
Add-on unit



MINI-RACKING WITH MEDIUM-DUTY BEAMS

| DIMENSIONS | | | NO. OF DECKING LEVELS | |
|------------|------|-----|-----------------------|----------|
| W | D | H | 3 | 4 |
| 48" | 18" | 75" | SR_5001_ | SR_5021_ |
| | 24" | | SR_5002_ | SR_5022_ |
| | 36"* | | SR_5003_ | SR_5023_ |
| | 48"* | | SR_5004_ | SR_5024_ |
| | 18" | 87" | SR_5005_ | SR_5025_ |
| | 24" | | SR_5006_ | SR_5026_ |
| | 36"* | | SR_5007_ | SR_5027_ |
| | 48"* | | SR_5008_ | SR_5028_ |
| 60" | 18" | 75" | SR_5051_ | SR_5071_ |
| | 24" | | SR_5052_ | SR_5072_ |
| | 36"* | | SR_5053_ | SR_5073_ |
| | 48"* | | SR_5054_ | SR_5074_ |
| | 18" | 87" | SR_5055_ | SR_5075_ |
| | 24" | | SR_5056_ | SR_5076_ |
| | 36"* | | SR_5057_ | SR_5077_ |
| | 48"* | | SR_5058_ | SR_5078_ |
| 24" | 99" | — | SR_5080_ | |
| 36"* | | — | SR_5081_ | |
| 48"* | | — | SR_5082_ | |
| — | | — | — | — |
| 72" | 18" | 75" | SR_5101_ | SR_5121_ |
| | 24" | | SR_5102_ | SR_5122_ |
| | 36"* | | SR_5103_ | SR_5123_ |
| | 48"* | | SR_5104_ | SR_5124_ |
| | 18" | 87" | SR_5105_ | SR_5125_ |
| | 24" | | SR_5106_ | SR_5126_ |
| | 36"* | | SR_5107_ | SR_5127_ |
| | 48"* | | SR_5108_ | SR_5128_ |
| | 24" | 99" | — | SR_5130_ |
| | 36"* | | — | SR_5131_ |
| | 48"* | | — | SR_5132_ |
| | — | | — | — |

NOTE: *Mini-Racking units in these sizes can be joined to back-to-back shelving units of the same depth.

TIE BARS

- Preconfigured models include one to three tie bars depending on their dimensions.

| DEPTH | NO. OF TIE BARS | | |
|-------|-----------------|-----------|------|
| | STEEL | WIRE MESH | WOOD |
| 18" | 1 | NA | 1 |
| 24" | 1 | 1 | 1 |
| 36" | 1 | 1 | 2 |
| 48" | 1 | 1 | 3 |

NOTE: For load capacity table, see page 123.

MINI-RACKING WITH HEAVY-DUTY BEAMS

| DIMENSIONS | | | NO. OF DECKING LEVELS | |
|------------|------|-----|-----------------------|----------|
| W | D | H | 3 | 4 |
| 48" | 18" | 75" | SR_5151_ | SR_5171_ |
| | 24" | | SR_5152_ | SR_5172_ |
| | 36"* | | SR_5153_ | SR_5173_ |
| | 48"* | | SR_5154_ | SR_5174_ |
| | 18" | 87" | SR_5155_ | SR_5175_ |
| | 24" | | SR_5156_ | SR_5176_ |
| | 36"* | | SR_5157_ | SR_5177_ |
| | 48"* | | SR_5158_ | SR_5178_ |
| 24" | 99" | — | SR_5180_ | |
| 36"* | | — | SR_5181_ | |
| 48"* | | — | SR_5182_ | |
| — | | — | — | — |
| 96" | 18" | 75" | SR_5201_ | SR_5221_ |
| | 24" | | SR_5202_ | SR_5222_ |
| | 36"* | | SR_5203_ | SR_5223_ |
| | 48"* | | SR_5204_ | SR_5224_ |
| | 18" | 87" | SR_5205_ | SR_5225_ |
| | 24" | | SR_5206_ | SR_5226_ |
| | 36"* | | SR_5207_ | SR_5227_ |
| | 48"* | | SR_5208_ | SR_5228_ |
| | 24" | 99" | — | SR_5230_ |
| | 36"* | | — | SR_5231_ |
| | 48"* | | — | SR_5232_ |
| | — | | — | — |

NOTE: *Mini-Racking units in these sizes can be joined to back-to-back shelving units of the same depth.

TIE BARS

- Preconfigured models include one to three tie bars depending on their dimensions

| WIDTH | DEPTH | NO. OF TIE BARS | | |
|-------|-------|-----------------|-----------|------|
| | | STEEL | WIRE MESH | WOOD |
| 72" | 18" | 1 | NA | 2 |
| | 24" | 1 | 1 | 2 |
| | 36" | 1 | 1 | 3 |
| | 48" | 1 | 1 | 3 |
| 96" | 18" | 1 | NA | 2 |
| | 24" | 1 | 1 | 2 |
| | 36" | 1 | 1 | 3 |
| | 48" | 2 | 2 | 3 |

NOTE: For load capacity table, see page 123.

PRECONFIGURED MODELS

MINI-RACKING FOR STANDARD-SIZED WOOD DECKING



SRD7031
Starter unit



SRA7031
Add-on unit

MINI-RACKING FOR STANDARD-SIZED WOOD DECKING

- These dimensions are designed to limit the need to cut the wood decking
- Four long-span levels with heavy-duty beams
- Bolted uprights (requires assembly)

| STARTER UNIT | ADD-ON UNIT | W × D × H |
|--------------|-------------|-------------------|
| SRD7031 | SRA7031 | 72" × 48½" × 87" |
| SRD7032 | SRA7032 | 72" × 48½" × 99" |
| SRD7033 | SRA7033 | 96½" × 24" × 87" |
| SRD7034 | SRA7034 | 96½" × 24" × 99" |
| SRD7035 | SRA7035 | 96½" × 48" × 87" |
| SRD7036 | SRA7036 | 96½" × 48" × 99" |
| SRD7037 | SRA7037 | 96½" × 48½" × 87" |
| SRD7038 | SRA7038 | 96½" × 48½" × 99" |

NOTE: Wood decking is not available from Rousseau.



TIRE RACK BEAMS

SR20



- Sold in pairs
- Load capacity: 340lb. per pair
- For storing tires of different sizes up to 17" dia. (light truck and SUV)
- Designed with a sloped surface to prevent tire deformation
- 72"W beams require an SR25 tie bar installed in the center
- 15"D units recommended for tires
- 12"D units recommended for rims

| PRODUCT NO. | WIDTH |
|-------------|-------|
| SR20-36 | 36" |
| SR20-48 | 48" |
| SR20-60 | 60" |
| SR20-72 | 72" |

BATTERY SHELF



- Shelf includes 2 heavy-duty beams and 13 tie bars
- Includes a front stop and two side rails to prevent batteries from falling accidentally
- 15° slope for first in first out (FIFO) battery handling
- Galvanized steel

| PRODUCT NO. | W × D | NO. OF BATTERIES (MEDIUM SIZE) |
|-------------|-----------|--------------------------------|
| SRP9004 | 36" × 36" | 15 |
| SRP9003 | 36" × 48" | 21 |
| SRP9001 | 48" × 36" | 20 |
| SRP9002 | 48" × 48" | 28 |

HANGING RAIL

SR62



- Load capacity: 300lb. per rail
- Hooks onto Spider® posts; no bolts required
- Includes a security mechanism to prevent accidental unhooking
- Three installation positions possible: one in the middle and two closer to the edges
- Compatible with SR63-02 hooks (not included)
- The hooks can rotate once installed on the rail. They can be installed and removed at any time, even when the rail is secured in place
- Rail and adapters made of galvanized steel

| SINGLE RAIL | W × D |
|-------------|-----------|
| SR62-601801 | 60" × 18" |
| SR62-602401 | 60" × 24" |
| SR62-603601 | 60" × 36" |
| SR62-721801 | 72" × 18" |
| SR62-722401 | 72" × 24" |
| SR62-723601 | 72" × 36" |
| SR62-961801 | 96" × 18" |
| SR62-962401 | 96" × 24" |
| SR62-963601 | 96" × 36" |

| DOUBLE RAIL | W × D |
|-------------|-----------|
| SR62-602402 | 60" × 24" |
| SR62-603602 | 60" × 36" |
| SR62-722402 | 72" × 24" |
| SR62-723602 | 72" × 36" |
| SR62-962402 | 96" × 24" |
| SR62-963602 | 96" × 36" |

NOTE: When a Mini-Racking unit is joined to a back-to-back shelving unit, call Customer Service for SR62 hanging rail compatibility information.

RAIL HOOK

SR63



- Load capacity: 50lb. per hook
- Hook can rotate once installed on a SR62 rail
- Can be installed and removed at any time, even when the rail is secured in place

| PRODUCT NO. | D × H |
|-------------|------------|
| SR63-02 | 2½"D × 5"H |



ACCESSORIES

LAMINATED HARDWOOD TOP FOR SHELVING SR90



- For installation between two shelving units
- Must be ordered with a pair of SH74 supports or used in a storage unit with a work surface

| PRODUCT NO. | W × D |
|-------------|-----------|
| SR90-6024A | 60" × 24" |
| SR90-7224A | 72" × 24" |
| SR90-9624A | 96" × 24" |

WOOD TOP SUPPORT SH74



- Sold in pairs
- Hooks onto the sides of SH or SR uprights; no tools required
- Supports an SR90 hardwood top between two shelving units

| PRODUCT NO. | WIDTH |
|-------------|-------|
| SH74-24 | 24" |

LABEL HOLDER NC32



- Sold in pairs
- Attaches to SR21 medium-duty or SR22 heavy-duty beams
- For use with self-adhesive labels only

| PRODUCT NO. | WIDTH |
|-------------|-------|
| NC32-3601 | 36" |
| NC32-4201 | 42" |
| NC32-4801 | 48" |
| NC32-6001 | 60" |
| NC32-6601 | 66" |
| NC32-7201 | 72" |
| NC32-9601 | 96" |

DIVIDING RODS SH56



- Sold in pairs
- ¼" dia. stainless steel rods
- Includes a 90° bend at one end to keep it in place
- Excellent chemical and corrosion resistance
- Superior rigidity to the plastic rods often found on the market for this type of application

| PRODUCT NO. | HEIGHT |
|-------------|--------|
| SH56-72 | 72" |
| SH56-84 | 84" |
| SH56-96 | 96" |

WALL SPACERS SR45



- Sold in pairs
- Creates a 9" space between the rack and wall
- Hooks into the delta holes of SR posts without tools; must be secured in place with a plastic clip (included)
- Galvanized steel


| PRODUCT NO. | DEPTH |
|-------------|-------|
| SR45-09 | 9" |

BACK-TO-BACK SPACERS SR48



- Sold in pairs
- Used for joining two Mini-Racking sections back to back with a 1" space between posts for beam adjustment

| PRODUCT NO. |
|-------------|
| SR48 |



POST SPACERS SR48



- Sold in pairs
- Creates an 18" space between two back-to-back tire racks
- Hooks into the delta holes of SR posts without tools; must be secured in place with plastic clips (included)
- Galvanized steel

| PRODUCT NO. | DEPTH |
|-------------|-------|
| SR48-18 | 18" |

DOUBLE DIVIDER

SR60



- Supports parts and boxes stored vertically in a Mini-Racking unit. The parts lean against the "D" of the divider
- Installs on two medium-duty (SR21) or two heavy-duty beams (SR22)
- The space between the two beams must be 14" c/c
- Divider can be adjusted laterally (left to right) without tools
- Compatible with 24"D shelving and deeper
- Designed to support a lateral load

| PRODUCT NO. | D×H |
|-------------|---------|
| SR60-2415 | 24"×15" |



SRE4542M

SINGLE DIVIDER

SR61



- Divides objects and parts that lean vertically against the back of a Mini-Racking unit
- Installs on medium-duty (SR21) or heavy-duty (SR22) beams
- Divider can be adjusted laterally (left to right) without tools
- Compatible with 24"D shelving and deeper

| PRODUCT NO. | DEPTH |
|-------------|-------|
| SR61-2401 | 24" |

SIDE UTILITY PANEL

SH68



- The Side Utility Panel can be installed on either the inside or outside of the upright
- Simple tool-free assembly
- Six widths available: 15" (12 holes), 18" (14 holes), 24" (22 holes), 30" (26 holes), 36" (32 holes) and 48" (44 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 300lb. max. per panel
- To order: Complete the product number with the depth required: 15", 18", 24", 36" or 48"

| PRODUCT NO. | HEIGHT |
|-------------|--------|
| SH68-__14 | 14" |
| SH68-__20 | 20" |
| SH68-__32 | 32" |


FULL-HEIGHT HEAVY-DUTY UTILITY PANEL

SH69



- Heavy-duty utility panel for end-of-aisle units
- Holes spaced 1" apart c/c
- Quick and easy hook-on assembly
- Creates a neater appearance
- Five widths available: 15" (13 holes), 18" (15 holes), 24" (21 holes), 30" (27 holes) and 36" (33 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 500lb. max. per panel, load evenly distributed
- Compatible with certain multi-level shelving applications. Contact Customer Service for more information
- To order: Complete the product number with the depth required: 15", 18", 24", 30" or 36"

| PRODUCT NO. | HEIGHT |
|-------------|--------|
| SH69-__51 | 51" |
| SH69-__75 | 75" |
| SH69-__87 | 87" |



COMPONENTS

STRUCTURAL COMPONENTS

POST



SR10



SR

- Tubular T shape provides up to seven fixing zones
- Includes front holes spaced 2" apart c/c for easy adjustment of beams
- 14ga steel

| PRODUCT NO. | HEIGHT |
|-------------|--------|
| SR10-039 | 39" |
| SR10-051 | 51" |
| SR10-075 | 75" |
| SR10-087 | 87" |
| SR10-099 | 99" |
| SR10-111 | 111" |
| SR10-123 | 123" |



R5XEE-4001

WELDED MINI-RACKING UPRIGHT ASSEMBLY



SR13



- Two heavy-duty ladder braces factory welded onto two universal posts
- Other sizes are available. Contact your customer service representative for more information

| PRODUCT NO. | D × H |
|-------------|-----------|
| SR13-180752 | 18" × 75" |
| SR13-180872 | 18" × 87" |
| SR13-240752 | 24" × 75" |
| SR13-240872 | 24" × 87" |
| SR13-240992 | 24" × 99" |
| SR13-300752 | 30" × 75" |
| SR13-300872 | 30" × 87" |
| SR13-300992 | 30" × 99" |
| SR13-360752 | 36" × 75" |
| SR13-360872 | 36" × 87" |
| SR13-360992 | 36" × 99" |
| SR13-480752 | 48" × 75" |
| SR13-480872 | 48" × 87" |
| SR13-480992 | 48" × 99" |

MINI-RACKING LADDER BRACES

SR30 / SR32



Single ladder brace for 15"D to 24"D units



Double interlocked ladder brace for 30"D to 48 1/2"D units

- Sold in pairs
- Recommendations:
 - One pair per 99"H upright and shorter
 - For uprights higher than 99"H, please contact your customer service representative
- For 30"D, 36"D, 48"D and 48 1/2"D units, the ladder braces interlock as shown
- The pair of ladder braces supplied with these models are double ladder braces

| PRODUCT NO. | DEPTH |
|-------------|---------|
| SR30-15 | 15" |
| SR30-16 | 16" |
| SR30-18 | 18" |
| SR30-24 | 24" |
| SR30-30 | 30" |
| SR30-32 | 32" |
| SR30-36 | 36" |
| SR30-48 | 48" |
| SR32-4801* | 48 1/2" |


NOTES: * The SR32 ladder brace is designed to support 48"D wood panels without cutting.
15"D, 16"D, 30"D and 32"D ladder braces are suitable for record storage, see page 260.



BEAMS AND TIE BARS

MEDIUM-DUTY BEAMS

SR21




- Sold in pairs
- 14ga steel
- Install on the front of posts.
- Height can be adjusted in 2" increments c/c
- Held in place with two safety clips

| PRODUCT NO. | W x H |
|-------------|----------|
| SR21-36 | 36" x 2" |
| SR21-42 | 42" x 2" |
| SR21-48 | 48" x 2" |
| SR21-60 | 60" x 2" |
| SR21-66 | 66" x 2" |
| SR21-72 | 72" x 2" |

NOTE: 42"W and 66"W beams are suitable for record storage, see page 260.

HEAVY-DUTY BEAMS

SR22 / SR23



- Sold in pairs
- 12ga steel
- Install on the front of posts.
- Height can be adjusted in 2" increments c/c
- Held in place with two safety clips

| PRODUCT NO. | W x H |
|-------------|------------------|
| SR22-60 | 60" x 2 1/2" |
| SR22-72 | 72" x 2 1/2" |
| SR22-96 | 96" x 2 1/2" |
| SR23-96* | 96 3/4" x 2 1/2" |

NOTE: * SR23 beams can support 96"W wood panels without cutting.

MEDIUM-DUTY TIE BAR

SR25 / SR26



- Hooks onto the inside of SR21 beams
- Galvanized steel

| PRODUCT NO. | DEPTH |
|-------------|---------|
| SR25-15 | 15" |
| SR25-16 | 16" |
| SR25-18 | 18" |
| SR25-24 | 24" |
| SR25-30 | 30" |
| SR25-32 | 32" |
| SR25-36 | 36" |
| SR25-48 | 48" |
| SR26-4801* | 48 1/2" |

NOTES: * The SR26 tie bar with SR32 ladder braces is designed to support 48"D wood panels without cutting.
15"D, 16"D, 30"D and 32"D tie bars are suitable for record storage, see page 260.

HEAVY-DUTY TIE BAR

SR27 / SR28





- Hooks onto the inside of SR22 and SR23 beams
- Galvanized steel

| PRODUCT NO. | DEPTH |
|-------------|---------|
| SR27-15 | 15" |
| SR27-18 | 18" |
| SR27-24 | 24" |
| SR27-30 | 30" |
| SR27-32 | 32" |
| SR27-36 | 36" |
| SR27-48 | 48" |
| SR28-4801* | 48 1/2" |

NOTE: * The SR28 tie bar with SR32 ladder braces is designed to support 48"D wood panels without cutting.

BEAM LOAD CAPACITIES

Shelving load capacity tests are based on ANSI MH28.2 Shelving Manufacturer Association (SMA) standards. These load capacities include a safety factor and are valid for an evenly distributed load. The capacities specified are in pounds.



MEDIUM-DUTY BEAMS

| DECKING TYPE | DEPTH | WIDTH | | | | | | NO. OF TIE BARS |
|--------------|------------|-------|------|------|-----|-----|-----|-----------------|
| | | 36" | 42" | 48" | 60" | 66" | 72" | |
| Wood* | 15" to 24" | 1000 | 1000 | 975 | 800 | 725 | 650 | 1 |
| | 30" to 32" | 1075 | 1025 | 925 | 775 | 700 | 625 | 2 |
| | 36" | 850 | 875 | 900 | 750 | 700 | 625 | 2 |
| | 48" | 875 | 825 | 775 | 775 | 750 | 650 | 3 |
| Steel* | 15" to 24" | 900 | 900 | 900 | 800 | 750 | 650 | 1 |
| | 30" to 48" | 1125 | 1125 | 1000 | 800 | 750 | 650 | 1 |
| Wire Mesh | 24" to 48" | 600 | 700 | 800 | 800 | 750 | 650 | 1 |

HEAVY-DUTY BEAMS

| DECKING TYPE | DEPTH | WIDTH | | | NO. OF TIE BARS |
|--------------|------------|-------|------|--------|-----------------|
| | | 60" | 72" | 96" | |
| Wood* | 15" to 24" | 1650 | 1600 | 1225 | 2 |
| | 30" to 32" | 1850 | 1575 | 1225 | 2 |
| | 36" | 1750 | 1600 | 1225 | 3 |
| | 48" | 1225 | 1225 | 1225 | 3 |
| Steel* | 15" to 24" | 1350 | 1350 | 1225 | 1 |
| | 30" to 48" | 1925 | 1600 | 1225** | 1 |
| Wire Mesh | 24" to 48" | 1000 | 1200 | 1200** | 1 |

** 96"W x 48"D steel or wire mesh decking require two tie bars.

COMPONENTS


MINI-RACKING DECKING


STEEL DECKING

SR40 / SH20



- SH20: Formed with a quadruple bend at the front and back and a single bend on the sides
- SR40: Formed with a triple bend on the sides and single bend at the front and back
- Steel decking provides extra shelf rigidity





To order for your specific unit dimensions, order the appropriate number of shelves and the product number(s) specified in the chart for each level of shelving.

FOR A STANDALONE MINI-RACKING UNIT OR TWO JOINED TOGETHER


Mini-Racking units in these sizes can be standalone or joined to another Mini-Racking unit.



| UPRIGHT ASSEMBLY DEPTH | BEAM WIDTH | | | | | | | | | | | | | |
|------------------------|------------|-------------|-----|-------------|-----|-------------|-----|-------------|-----|-------------|-----|-------------|-----|-------------|
| | 36" | | 42" | | 48" | | 60" | | 66" | | 72" | | 96" | |
| | QTY | PRODUCT NO. | QTY | PRODUCT NO. | QTY | PRODUCT NO. | QTY | PRODUCT NO. | QTY | PRODUCT NO. | QTY | PRODUCT NO. | QTY | PRODUCT NO. |
| 15" | 2 | SR40-1815 | 1+ | SR40-1815 | 2 | SR40-2415 | 2+ | SR40-1815 | 1+ | SR40-1815 | 3 | SR40-2415 | 4 | SR40-2415 |
| | | | 1 | SR40-2415 | | | 1 | SR40-2415 | 2 | SR40-2415 | | | | |
| 16" | 2 | SR40-1816 | 1+ | SR40-1816 | 2 | SR40-2416 | 2+ | SR40-1816 | 1+ | SR40-1816 | 3 | SR40-2416 | 4 | SR40-2416 |
| | | | 1 | SR40-2416 | | | 1 | SR40-2416 | 2 | SR40-2416 | | | | |
| 18" | 2 | SR40-1818 | 1+ | SR40-1818 | 2 | SR40-2418 | 2+ | SR40-1818 | 1+ | SR40-1818 | 3 | SR40-2418 | 4 | SR40-2418 |
| | | | 1 | SR40-2418 | | | 1 | SR40-2418 | 2 | SR40-2418 | | | | |
| 24" | 2 | SR40-1824 | 1+ | SR40-1824 | 2 | SR40-2424 | 2+ | SR40-1824 | 1+ | SR40-1824 | 3 | SR40-2424 | 4 | SR40-2424 |
| | | | 1 | SR40-2424 | | | 1 | SR40-2424 | 2 | SR40-2424 | | | | |
| 30" | 2 | SH20-3018 | 1+ | SH20-3018 | 4 | SH20-3012 | 4 | SH20-3015 | 1+ | SH20-3018 | 4 | SH20-3018 | 4 | SH20-3024 |
| | | | 1 | SH20-3024 | | | | | 2 | SH20-3024 | | | | |
| 32" | 2 | SR40-1832 | 1+ | SR40-1832 | 2 | SR40-2432 | 2+ | SR40-1832 | 1+ | SR40-1832 | 3 | SR40-2432 | 4 | SR40-2432 |
| | | | 1 | SR40-2432 | | | 1 | SR40-2432 | 2 | SR40-2432 | | | | |
| 36" | 2 | SH20-3618 | 1+ | SH20-3618 | 4 | SH20-3612 | 4 | SH20-3615 | 1+ | SH20-3618 | 4 | SH20-3618 | 4 | SH20-3624 |
| | | | 1 | SH20-3624 | | | | | 2 | SH20-3624 | | | | |
| 48" | 2 | SH20-4818 | 1+ | SH20-4818 | 4 | SH20-4812 | 4 | SH20-4815 | 1+ | SH20-4818 | 4 | SH20-4818 | 4 | SH20-4824 |
| | | | 1 | SH20-4824 | | | | | 2 | SH20-4824 | | | | |

FOR A MINI-RACKING UNIT JOINED TO TWO SHELVING UNITS

Mini-Racking units in these sizes can be joined to back-to-back shelving units of the same depth.



| UPRIGHT ASSEMBLY DEPTH | BEAM WIDTH | | | | | |
|------------------------|------------|-------------|-----|-------------|-----|-------------|
| | 60" | | 72" | | 96" | |
| | QTY | PRODUCT NO. | QTY | PRODUCT NO. | QTY | PRODUCT NO. |
| 30" | 5 | SH20-3012 | 1+ | SH20-3012 | 1+ | SH20-3024 |
| | | | 4 | SH20-3015 | 4 | SH20-3018 |
| 36" | 5 | SH20-3612 | 1+ | SH20-3612 | 1+ | SH20-3624 |
| | | | 4 | SH20-3615 | 4 | SH20-3618 |
| 48" | 5 | SH20-4812 | 1+ | SH20-4812 | 1+ | SH20-4824 |
| | | | 4 | SH20-4815 | 4 | SH20-4818 |

FOR A MINI-RACKING UNIT JOINED TO FOUR SHELVING UNITS


Mini-Racking units in these sizes can be joined to two back-to-back shelving units of the same depth, one on each side of the Mini-Racking unit.



| UPRIGHT ASSEMBLY DEPTH | BEAM WIDTH | | | |
|------------------------|------------|-------------|-----|-------------|
| | 72" | | 96" | |
| | QTY | PRODUCT NO. | QTY | PRODUCT NO. |
| 30" | 6 | SH20-3012 | 2+ | SH20-3012 |
| | | | 4 | SH20-3018 |
| 36" | 6 | SH20-3612 | 2+ | SH20-3612 |
| | | | 4 | SH20-3618 |
| 48" | 6 | SH20-4812 | 2+ | SH20-4812 |
| | | | 4 | SH20-4818 |

SR42

WIRE MESH DECKING



- Grid-pattern shelves made from 1/4" dia. painted steel rods welded together
- Color: Modern Gray 745
- Product meets fire code standards
- Wire mesh decking is a great alternative to steel decking




To order for your specific unit dimensions, order the appropriate number of shelves and the product number(s) specified in the chart for each level of shelving.

FOR A STANDALONE MINI-RACKING UNIT OR TWO JOINED TOGETHER



FOR A MINI-RACKING UNIT JOINED TO TWO SHELVING UNITS



FOR A MINI-RACKING UNIT JOINED TO FOUR SHELVING UNITS



| UPRIGHT ASSEMBLY DEPTH | BEAM WIDTH | | | | | | | | | | | | | |
|------------------------|------------|-------------|-----|-------------|-----|-------------|-----|-------------|-----|-------------|-----|-------------|-----|-------------|
| | 36" | | 42" | | 48" | | 60" | | 66" | | 72" | | 96" | |
| | QTY | PRODUCT NO. | QTY | PRODUCT NO. | QTY | PRODUCT NO. | QTY | PRODUCT NO. | QTY | PRODUCT NO. | QTY | PRODUCT NO. | QTY | PRODUCT NO. |
| 24" | 2 | SR42-1824 | 1+ | SR42-1824 | 2 | SR42-2424 | 2+ | SR42-1824 | 1+ | SR42-1824 | 3 | SR42-2424 | 4 | SR42-2424 |
| | | | 1 | SR42-2424 | | | 1 | SR42-2424 | 2 | SR42-2424 | | | | |
| 30" | 2 | SR42-1830 | 1+ | SR42-1830 | 2 | SR42-2430 | 2+ | SR42-1830 | 1+ | SR42-1830 | 3 | SR42-2430 | 4 | SR42-2430 |
| | | | 1 | SR42-2430 | | | 1 | SR42-2430 | 2 | SR42-2430 | | | | |
| 36" | 2 | SR42-1836 | 1+ | SR42-1836 | 2 | SR42-2436 | 2+ | SR42-1836 | 1+ | SR42-1836 | 3 | SR42-2436 | 4 | SR42-2436 |
| | | | 1 | SR42-2436 | | | 1 | SR42-2436 | 2 | SR42-2436 | | | | |
| 48" | 2 | SR42-1848 | 1+ | SR42-1848 | 2 | SR42-2448 | 2+ | SR42-1848 | 1+ | SR42-1848 | 3 | SR42-2448 | 4 | SR42-2448 |
| | | | 1 | SR42-2448 | | | 1 | SR42-2448 | 2 | SR42-2448 | | | | |

WOOD DECKING DIMENSIONS

- 30"D, 36"D and 48"D Mini-Racking units can be joined to two back-to-back shelving units (except 96 1/2"W). Please see technical guide S52 for exact wood decking dimensions for your specific installation.

IMPORTANT

Wood decking is not available from Rousseau.
Our beams are designed to support plywood or particle board panels at least 5/8" thick.

